3(

•	PATENT COOP	ERATION TREA	TY PCT/US2004/0364
DECEIVED		From the INTERN	ATIONAL BUREAU
MAY 1 8 2006 PCT By NOTIFICATION CON PRELIMINARY REPORT ON (CHAPTER I OF THE PATEN TREATY) (PCT Rule 44bis. Date of mailing (day/month/year) 11 May 2006 (11.05.2006)	ICERNING INTERNATIONAL PATENTABILITY T COOPERATION	To: LICATA, Jane, N Licata & Tyrrell I 66 E. Main Stree Marlton, NJ 0809 ETATS-UNIS D'	P.C. CUSED.
Applicant's or agent's file reference DRE-0158		4	IMPORTANT NOTICE
International application No. PCT/US2004/036430	International filing date 01 November 2	te (day/month/year) 004 (01.11.2004)	Priority date (day/month/year) 31 October 2003 (31.10.2003)
Applicant	DREXEL UNIV	/ERSITY et al	

The International Bureau transmits herewith a copy of the international preliminary report on patentability (Chapter I of the Patent Cooperation

The International Bureau of WIPO 34, chemin des Colombettes

Authorized officer

Valaine Cuccan

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter I of the Patent Cooperation Treaty)

(PCT Rule 44bis)

Applicant's or agent's file reference DRE-0158	FOR FURTHER ACTION	See item 4 below	
International application No. PCT/US2004/036430	International filing date (day/month/year) 01 November 2004 (01.11.2004)	Priority date (day/month/year) 31 October 2003 (31.10.2003)	
International Patent Classification (8th See relevant information in Form F	n edition unless older edition indicated) PCT/ISA/237		
Applicant DREXEL UNIVERSITY		-	

			•
1.	This international preliminary r International Searching Author	eport on patentability (Chaptity under Rule 44 bis. 1(a).	ter I) is issued by the International Bureau on behalf of the
2.	This REPORT consists of a total	_	
	in the attached sheets, any refer to the international preliminary	ence to the written opinion o report on patentability (Chap	f the International Searching Authority should be read as a reference oter I) instead.
3.	This report contains indications	relating to the following iter	ns:
	Box No. I	Basis of the report	
	Box No. II	Priority	
	Box No. III	Non-establishment of opi applicability	nion with regard to novelty, inventive step and industrial
	Box No. IV	Lack of unity of invention	n
	Box No. V	Reasoned statement unde applicability; citations and	r Article 35(2) with regard to novelty, inventive step or industrial dexplanations supporting such statement
	Box No. VI	Certain documents cited	
	Box No. VII	Certain defects in the inte	rnational application
	Box No. VIII	Certain observations on th	e international application
4.	The International Bureau will co not, except where the applicant n date (Rule 44bis .2).	mmunicate this report to desi nakes an express request und	ignated Offices in accordance with Rules 44 <i>bis</i> .3(c) and 93 <i>bis</i> .1 but er Article 23(2), before the expiration of 30 months from the priority
			•
			Date of issuance of this report 01 May 2006 (01.05.2006)
	The International Bures 34, chemin des Colo	mbettes	Authorized officer Yolaine Cussac

Facsimile No. +41 22 740 14 35

Telenhone No. +41 22 338 70 80

PATENT COOPERATION TREATY From the REC'D 2 0 MAR 2006 INTERNATIONAL SEARCHING AUTHORITY PCT JANE MASSBY LICATA LICATA & TYRRELL P.C. 66 E. MAIN STREET WRITTEN OPINION OF THE MARLTON, NJ 08053 INTERNATIONAL SEARCHING AUTHORITY (PCT Rule 43bis.1) Date of mailing . 5 MAR 2006 (day/month/year) Applicant's or agent's file reference FOR FURTHER ACTION See paragraph 2 below International application No. International filing date (day/month/year) Priority date (day/month/year) 31;October 2003 (31.10.2003) 01 November 2004 (01.11.2004) International Patent Classification (IPC) or both national classification and IPC IPC(7): H04N 5/225, 5/74 and US Ci.: 348/335, 222.1, 272, 771 DREXEL UNIVERSITY 1. This opinion contains indications relating to the following items: Box No. I Basis of the opinion Box No. II **Priority** Box No. III Non-establishment of opinion with regard to novelty, inventive; step and industrial applicability Box No. IV Lack of unity of invention Box No. V Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement Box No. VI Certain documents cited Box No. VII Certain defects in the international application Box No. VIII Certain observations on the international application 2. FURTHER ACTION If a demand for international preliminary examination is made, this opinion will be considered to be a written opinion of the International Preliminary Examining Authority ("IPBA") except that this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notified the International Bureau under Rule 66.1bis(b) that written opinions of this International Searching Authority will not be so considered. If this opinion is, as provided above, considered to be a written opinion of the IPBA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of 3 months from the date of mailing of Form PCT/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later. For further options, see Form PCT/ISA/220. 3. For further details, see notes to Form PCT/ISA/220.

Date of completion of this opinion

27 December 2005 (27.12.2005)

Authorized office

Telephone No. 571 272 2600

Porm PCT/ISA/237 (cover sheet) (April 2005)

P.O. Box 1450

Facsimile No. (571) 273-3201

Name and mailing address of the ISA/ US

Mail Stop PCT, Attn: ISA/US Commissioner for Patents

Alexandria, Virginia 22313-1450

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

International application No.
PCT/US04/36430

Box 1	No. I Basis of this opinion
\vdash	
1. Witt	regard to the language, this opinion has been established on the basis of:
	the international application in the language in which it was filed
_	a translation of the international application into, which is the language of a translation furnished for the purposes of international search (Rules 12.3(a) and 23.1(b)).
2. With inve	regard to any nucleotide aud/or amino acid sequence disclosed in the international application and necessary to the claimed nation, this opinion has been established on the basis of:
a.	type of material
	a sequence listing
	table(s) related to the sequence listing
b.	format of material
	on paper
	in electronic form
c.	time of filing/furnishing
	contained in the international application as filed.
	filed together with the international application in electronic form.
	,
	furnished subsequently to this Authority for the purposes of search.
3.	In addition, in the case that more than one version or copy of a sequence listing and/or table(s) relating thereto has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that in the application as filed or does not go beyond the application as filed, as appropriate, were furnished.
4. Additi	onal comments:
	•
	· · · · · · · · · · · · · · · · · · ·
	·
	·
m P(~T/I	34/237/Box No. D (A:1-2005)

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

Form PCT/ISA/237 (Box No. V) (April 2005)

International application No. PCT/U\$04/36430

applicability; citations and expla	43 bis.1(a)(i) with regard to nov anations supporting such stateme	elty, inventive step or industrial
1. Statement	FF	CIIs
Novelty (N)	Claims 1-3	YES
	Claims NONE	
Inventive step (IS)	Claims 1-3	. V ES
	Claims 1-3 Claims NONE	YES NO
T. C. C. C. C. D. L. C. C. C.	,	
Industrial applicability (IA)	Claims 1-3 Claims NONE	YES
	Ciaims <u>None</u>	NO
2. Citations and explanations:		
Claims 1-3 meet the criteria set out in PCT Article 3	3(2)-(3), because the prior art does not	teach or fairly suggest:
With regard to claim 1, a device for producing a high array containing an array of micromirrors, each mirror array being positioned with respect to the photographical of the scene to be photographed to the photographed to the photographed to the photographed to claim 3, a method for producing a high	or being capable of tilting individually nic imaging system so that each mirror uplic imaging system.	in at least two directions, said micromirror of the micromirror array transfers a reflected
scene, said device comprising a micromirror array co	tem comprising a device for producing	g aihigh resolution photographic image of a
in at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individually
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
necenies and device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
n at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individuall
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
cene, said device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
n at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individuall
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
necenies and device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
n at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individuall
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
necenies and device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
n at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individuall
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
necenies and device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
n at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individuall
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
necenies and device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
n at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individuall
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
necenies and device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
n at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individuall
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
necenies and device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
n at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individuall
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
ceene, said device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
in at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individuall
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
scene, said device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
in at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individuall
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
scene, said device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
in at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individuall
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.
micromirror array with the photographic imaging syssecene, said device comprising a micromirror array coin at least two directions, said micromirror array bein of the micromirror array transfers a reflected pixel of the micromirror array transfers a reflected pixel of Claims 1-3 meet the criteria set out in PCT Article 33 claimed can be made or used in industry.	tem comprising a device for producing intaining an array of micromirrors, each ig positioned with respect to the photog the scene to be photographed to the photogr	g a high resolution photographic image of a h mirror being capable of tilting individuall graphic imaging system so that each mirror hotographic imaging system.
scene, said device comprising a micromirror array co	tem comprising a device for producing	g a high resolution photographic image of a
in at least two directions, said micromirror array bein	intaining an array of micromirrors, each	h mirror being capable of tilting individual
of the micromirror array transfers a reflected pixel of	ig positioned with respect to the photog	graphic imaging system so that each mirror
Claims 1-3 meet the criteria set out in PCT Article 33	the scene to be photographed to the photogr	hotographic imaging system.